SMSD-4.2LAN

STEP MOTOR CONTROLLER



SMSD-4.2LAN is a step motor controller with advanced functionality. It is designed by our engineers for medium size stepper motors. The controller is designed for an Ethernet connection and can be remotely controlled using a local network. USB connection is also provided. The controller operates as a standalone device according to a pre-programmed algorithm or as a slave with an external master device.

The controller has inputs for a brake resistor connecting.

Technical parameters

Max. current per phase	0.1 — 4.2 Amp
Supply voltage	24 – 48 VDC
Microstepping	1/1, 1/2, 1/4, 1/8, 1/16 (1/32, 1/64, 1/128 – for some motor models)
Communication interfaces	Ethernet, USB


Inputs for external discrete signals

- IN1, IN0 programmable inputs
- HARD STOP emergency stop signal
- SET_ZERO and GOTO ZERO inputs for homing procedure
- CURRENT OFF, CONTINUE, REVERSE additional inputs for advanced functions

Operation modes

- Program control motion according to a user program
- Direct control mode real-time executing of commands from a master device
- Analog speed control 0...5 V, external or builtin potentiometer
- ullet Analog angle control -0...5 V, external or builtin potentiometer
- STEP/DIR pulse position control

Dimensions



Address: Tallinn Science Park Tehnopol, Akadeemia tee 21/6, 12618, Tallinn, Estonia

Phone: +372 6559914 **E-mail:** sale@smd.ee

Software for the controller

